PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6: G07F 9/02, 17/16, 7/00

(11) Internation

(11) International Publication Number:

WO 95/04333

(43) International Publication Date:

9 February 1995 (09.02.95)

(21) International Application Number:

PCT/EP94/02549

A1

(22) International Filing Date:

1 August 1994 (01.08.94)

(30) Priority Data:

. VI93A000134

2 August 1993 (02.08.93)

П

(71)(72) Applicants and Inventors: FRAU, Paola [IT/IT]; Via Dal Pozzo, 75, I-36100 Vicenza (IT). FACCHIN, Daniela [IT/IT]; Contra' Zanella, 6, I-36100 Vicenza (IT).

(74) Agent: BONINI, Ercole; Studio Ing. E. Bonini s.r.l., Corso Fogazzaro, 8, I-36100 Vicenza (IT).


(81) Designated States: AU, BR, CA, CN, CZ, FI, HU, JP, NO, PL, RO, RU, SI, SK, US, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).

Published

With international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: DISTRIBUTION NETWORK SYSTEM FOR PRODUCTS AND INFORMATION



(57) Abstract

The invention is a distribution network system of automatic dispensers of products and information (11, 12, 13; 41, 42, 43) interconnected with one another and with at least a host computer (10, 40), where homogeneous groups of dispensers are suitable for exchanging information, by means of said host computer, with each dispenser connected with it and with the network node (20) that is connected with each host computer by means of telephone lines and is provided with a transceiver section suitable for getting through to each dispenser by radio, through an antenna (25) or a communication satellite (30).

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MR	Mauritania
ΑU	Australia	GE	Georgia	MW	Malawi
88	Barbados	GN	Guinea	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Feso	aru	Hungary	NO	Norway
BG	Bulgarià	Œ	Ireland	NZ	New Zealand .
BJ	Benin	П	Italy	PL.	Potand
BR	Brazil	JP	Japan	PT	Portugal
BY	Belarus	KE	Kenya	RO	Romania
CA	Canada	KG	Kyrgystan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic	SD	Sudan
CG	Congo		of Korea	SE	Sweden
CH	Switzerland	KR	Republic of Korea	SI	Slovenia
CT	Côte d'Ivoire	KŽ	Kazakhstan	SK	Slovakia
CM	Cameroon	LI	Liechtenstein	SN	Senegal
CN	China	LK	Sri Lanka	TD	Chad
cs	Czechoslovakia	LU	Luxembourg	TG	Togo
CZ	Czech Republic	LV	Latvia	TJ	Tajikistan
DE	Germany	MC	Monaco	TT	Trinidad and Tobago
DK	Denmark.	MD	Republic of Moldova	UA	Ukraine
ES	Spain .	MG	Madagascar	US	United States of America
ri	Finland	MIL	Mali	UZ	Uzbekistan
FR	France	MEN	Mongolia	VN	Viet Nam
GA	Gabon		-		

PC1/EP94/02549

- DISTRIBUTION NETWORK SYSTEM FOR PRODUCTS AND INFORMATION
- 2 The invention concerns a distribution network system of
- 3 dispensers of products and services, more particularly a
- 4 network of dispensers interconnected with each other
- 5 through a telematic connection accomplished by means of a
- 6 telephone or radio line and of a communication satellite
- 7 system or by radio.
- 8 Automatic dispensers of products are known which are opera-
- 9 ted by the user by means of coins or credit cards or elec-
- 10 tronic cards.
- 11 One of the most widespread automatic dispenser is for
- 12 distributing banknotes.
- 13 This machine is stocked with banknotes to be dispensed; the
- 14 machine is provided with an electronic device that is able
- 15 to read the magnetic card inserted by the user and to
- 16 communicate with the master computer that checks the elec-
- 17 tronic card inserted.
- 18 After checking, the machine enables the user to require a
- 19 sum varying within a minimum and a maximum fixed in advan-
- 20 ce. Once the user has chosen, a device counting the bankno-
- 21 tes starts working and subsequently a dispenser conveys the
- 22 selected amount of money to the outlet of the machine.
- 23 Other types of less complex machines are conceived so that
- 24 by inserting an electronic card or coins a certain product
- 25 can be selected. The product is chosen by means of a key-
- 26 board and is then distributed through a special drawer. One
- 27 of these machines is the coffee machine or the confectione-
- 28 ry dispenser.
- 29 In the case of all these types of machines, if they don't
- 30 have the required product available, they cannot comply
- 31 with the user's request and neither can they inform the
- 32 user about the nearest machine that can satisfy such a
- 33 request.
- 34 The aim of the invention is to go beyond the limits of the
- 35 automatic dispensers that have been described above.

- 1 One of the purposes to be achieved is the implementation of
- 2 an interconnected distribution network of automatic dispen-
- 3 sers, so that if the product the user wants to get from a
- 4 certain dispenser isn't available there, the user can be
- 5 informed about the location of the nearest automatic di-
- 6, spenser where the required product is available.
- 7 Another aim to be achieved is the possibility of distribu-
- 8 ting different products, even of different sizes and belon-
- 9 ging to different marketing categories, by means of the
- 10 automatic dispenser that is the object of the invention.
- 11 Another purpose to be achieved is to carry out an intercon-
- 12 nection among automatic dispensers so that every automatic
- 13 dispenser can inform the user about the possibility of
- 14 finding the required products that are not available where
- 15 they have been requested and can also give other kinds of
- 16 information, both by asking the main storage of the compu-
- 17 ter that controls the interconnected distribution network
- 18 and by means of the linkage with Data Banks, a linkage that
- 19 is accomplished on-line by the user and is payed for by
- 20 directly debiting a credit card or by using a prepaid card.
- 21 Another aim to be achieved is to enable the manager of the
- 22 interconnected network to bring up to date the stock of
- 23 each product in each automatic dispenser on real-time and
- 24 also to update the prices of the products, when necessary.
- 25 A further aim is to implement the automatic dispenser
- 26 belonging to the network so that it can also take back the
- 27 articles hired by the user, such as videocassettes, CD or
- 28 other things, and at the same time carry out the necessary
- 29 accounting operations like the cancellation of the item
- 30 from the user's stock and the record in the stock of the
- 31 dispenser.
- 32 All these aims and others that will be better explained
- 33 later have been achieved by means of an interconnected
- 34 distribution network system of automatic dispensers of
- 35 products and information, which, according to the inven-

- 1 tion, is characterized in that it includes:
- 2 A) a plurality of automatic dispensers, each of which
- 3 includes:
- 4 -organized spaces suitable for containing the products to
- 5 be dispensed;
- 6 -means for taking a selected product and conveying it out
- 7 of the store;
- 8 -a system for the positioning of said means;
- 9 -tools fixed to the conveying means, suitable for taking
- 10 hold of the selected product and for releasing it;
- 11 -reading means for the identification of the selected
- 12 product;
- 13 -primary storage systems for storing and processing the
- 14 information regarding the stored items;
- 15 -secondary storage systems for managing the information
- 16 received from the user or from the network with which the
- 17 dispenser is connected;
- 18 -means for the identification of magnetic cards or semicon-
- 19 ductor cards;
- 20 -means for dispensing the selected product to the user;
- 21 -means for connecting each dispenser with one or more
- 22 dispensers of the network and each dispenser with a commu-
- 23 nication satellite by cable and/or by ether;
- 24 -means for displaying information;
- 25 -means for printing the required information, if necessary;
- 26 B) at least a host computer connecting a group of automatic
- 27 dispensers, each of which is connected with a network node
- 28 through telephone lines or by radio or by satellite; said
- 29 computer being suitable for exchanging information with
- 30 each dispenser that is connected with it and with the
- 31 network node, said host computer being provided with its
- 32 own storage and with means right for managing its own Data
- 33 Banks;
- 34 C) a network node connected with each of said host compu-
- 35 ters by means of telephone lines or by radio and provided

- 4

1 with a transceiver section suitable for getting through to

- 2 each dispenser by radio, through an antenna or a communica-
- 3 tion satellite;
- 4 D) a communication satellite that receives data from the
- 5 network node and is in connection with each dispenser.
- 6 According to the invention, each automatic dispenser is
- 7 connected, preferably through telephone linkage, with a
- 8 host computer that examines the requests coming from each
- 9 dispenser when the latter is not able to comply with re-
- 10 quests of products that are not available or when the user
- 11 asks for information instead of products.
- 12 Once the host computer has received the piece of informa-
- 13 tion from the automatic dispenser, it gets through to the
- 14 network node by means of the telephone line and the network
- 15 node transmits the whole information to a communication
- 16 satellite. In turn the satellite transmits the information
- 17 to each automatic dispenser of the network, which receives
- 18 it by radio through a parabolic antenna. Once the informa-
- 19 tion has been examined, the answer is released from the
- 20 automatic dispensers the other way round, namely from the
- 21 host computer connected with the dispensers to the node,
- 22 then again to the satellite which transmits the information
- 23 to the dispenser that has asked the question.
- 24 Owing to the interconnection among the individual dispen-
- 25 sers and also to the fact that each dispenser can be con-
- 26 nected with external networks by means of the communication
- 27 satellite, it is obvious that each dispenser can work as a
- 28 terminal for the on-line linkage with Data Banks.
- 29 Consequently, the user will be allowed to require informa-
- 30 tion which will first be dealt with by the host computer
- 31 and then transmitted by the node to a host computer exte-
- 32 rior to the network through the satellite, a host computer
- 33 that will be able to supply the required information, for
- 34 example concerning market quotations, foreign currencies,
- 35 etc.

- 1 According to the invention, each dispenser will also be
- 2 able to take back the articles hired by the user, since it
- 3 is conceived so that the means for dispensing and taking
- 4 the products can operate even inversely, namely they can
- 5 take up the object placed by the user in a given area,
- 6 which can also be the dispensing area itself, and put the
- 7 object in the store of the dispenser again, at the same
- 8 time loading its electronic memory.
- 9 Further distinctive features and peculiarities of the
- 10 invention in question will be better highlighted in the
- 11 description of an application, chosen among many, of the
- 12 network and of the method employed to accomplish it,
- 13 illustrated in the attached table in a schematic way:
- 14 -Figure 1 shows the interconnection among the automatic
- 15 dispensers of products and information and the interconnec-
- 16 ting network;
- 17 -Figure 2 shows a variant of the interconnection among the
- 18 dispensers belonging to the network.
- 19 Request for a product available in the dispenser.
- 20 With reference to Figure 1 the numbers 11, 12 and 13 repre-
- 21 sent the automatic dispensers belonging to a first group,
- 22 referred to as a whole with A, and connected by means of a
- 23 telephone line, for example with protocol X28, with a host
- 24 computer, referred to with 10, which is able to process the
- 25 information transmitted by each of the automatic dispen-
- 26 sers. Likewise, the automatic dispensers 41, 42 and 43 are
- 27 connected by means of telephone lines, with protocol X28
- 28 too, with a host computer 40.
- 29 Each of the automatic dispensers, which will not be descri-
- 30 bed in detail since they are substantially made up follo-
- 31 wing known technology, has in its inside one or more stores
- 32 consisting in hive-shaped or organized spaces suitable for
- 33 containing the products to be dispensed. Said spaces can be
- 34 of different sizes or can be vary in such a way as to hold
- 35 different products, like, for example, videocassettes, roll

- 1 films, compact-disks or others. Each automatic dispenser is
- 2 provided with means for taking each product, which are
- 3 operated by the choice of the user who, upon acceptance
- 4 after inserting the identification card, can choose the
- 5 products to select on a video screen.
- 6 The choice of the products can be made by the user in
- 7 different ways, for example by means of a keyboard, of a
- 8 joy-stick or of a touch-screen.
- 9 Once the computer inside the automatic dispenser has recei-
- 10 ved the piece of information concerning the product to be
- 11 taken, said computer compares it to that existing in its
- 12 storage and transmits the order concerning the position in
- 13 which the suitable mean has to be placed in order to take
- 14 the selected product.
- 15 This way the mean for taking the product positions itself
- 16 so as to face the compartment out of which the product has
- 17 to be taken and by means of clasping items, such as pliers,
- 18 the product is taken and subsequently conveyed to the
- 19 outlet of the automatic dispenser. At this point the mean
- 20 for identifying the selected product and the mean for
- 21 reading such identification go into operation so as to
- 22 report that a unit of a certain product has been taken and
- 23 to cancel the presence of such a product from the store.
- 24 The operation ends when the product is conveyed into the
- 25 distribution drawer of the automatic dispenser, upon debi-
- 26 ting the operation to the user's account by credit card or
- 27 upon the withdrawal of the same amount from a prepaid card.
- 28 The operation described above concerns the choice and the
- 29 taking of a product chosen by the user and available in the
- 30 automatic dispenser itself. This kind of operation cannot
- 31 substantially be distinguished from other known operations.
- 32 The situation changes if the user asks for a product that
- 33 is not available in the automatic dispenser where the
- 34 request is made, or if the user asks for information in-
- 35 stead of products. These two different cases will be dealt

- 1 with below.
- 2 Request for a product not available in the dispenser where
- 3 the request is made.
- 4 If the user, who, for example, interacts on the automatic
- 5 dispenser 11, asks for a product that is not available in
- 6 said automatic dispenser, the storage and processing sy-
- 7 stems present in the automatic dispenser 11 transfer the
- 8 piece of information to the host computer, referred to with
- 9 10, through the telephone line, referred to with 110, with
- 10 protocol X28. The information is dealt with and transfer-
- 11 red, through the telephone line 100 with protocol X25, from
- 12 the host computer 10 to the network node 20. The means 21
- 13 for transmission by radio pass the piece of information
- 14 from the network node 20 to the satellite 30. The satellite
- 15 30 passes the information on by transmitting it to all the
- 16 paraboloids, both to those of the users' group A, namely
- 17 111, 112, 113, and to the paraboloids relevant to the auto-
- 18 matic dispensers of group B, namely to paraboloid 411 of
- 19 dispenser 41, paraboloid 421 of dispenser 42 and paraboloid
- 20 431 of dispenser 43.
- 21 If one or more automatic dispensers have the required
- 22 product available, they transfer the information back to
- 23 the host computer with which they are connected through a
- 24 telephone line and from each of these computers to the
- 25 satellite 30, which transmits the piece of information by
- 26 ether to the dispenser 11, from which the request came.
- 27 The screen of the automatic dispenser 11 displays the
- 28 information regarding the availability of the product: for
- 29 example, it can indicate that the nearest dispenser in
- 30 which the user can find the required product is in a cer-
- 31 tain street of the same town or in the nearest town. If the
- 32 user confirms the booking, the product is booked and the
- 33 user can go to the dispenser, 12 for example, in order to
- 34 take what has been reported to be available there.
- 35 Figure 2 shows a variant of the interconnection network

- 1 where the network node 20 is equipped with a radio antenna
- 2 25 that transmits directly to the antennas 101, 102 and 103
- 3 of the dispensers of the first group and to the antennas
- 4 141, 142, 143 of the dispensers of the second group. This
- 5 kind of connection is suitable for interconnecting dispen-
- 6 sers scattered on a comparatively small geographical area.
- 7 One of the obvious advantages ensuing from the interconnec-
- 8 tion accomplished by means of a network of automatic di-
- 9 spensers contrived according to the invention is the fact
- 10 that, with particular reference to automatic dispensers
- 11 located in different places in the same town, it is possi-
- 12 ble to have a minimum quantity of goods in store and conse-
- 13 quently to optimize the quantity of products available
- 14 without increasing storage expenses. Furthermore, it is
- 15 thus possible to comply with the user's request in the best
- 16 way.
- 17 Request for information from the user.
- 18 The intercommunicating network of automatic dispensers that
- 19 is the object of the present invention can be used to
- 20 accomplish the distribution not only of products, but also
- 21 of information.
- 22 For example, information regarding data could be available,
- 23 held in the Data Banks belonging to host computers that are
- 24 not part of the network.
- 25 In this case the request made, for example, by the automa-
- 26 tic dispenser 12 through the telephone channel 120 reaches
- 27 the host computer 10, which deals with the piece of infor-
- 28 mation and transmits it to the network node 20 with proto-
- 29 col X25 through line 100. The host computer 10 is provided
- 30 with a modem, by means of which it can get in connection
- 31 with the network node 20 through the telephone line 100;
- 32 further, through said node it can connect itself with the
- 33 Data Banks that are interconnected with the network node by
- 34 means of the communication satellite 30 that communicates
- 35 with the host computer and the modem.

l This way from any automatic dispenser any kind of informa-

- 9 -

- 2 tion can be required, both belonging to the internal Data
- 3 Banks of the host computer 10 and to the external Data
- 4 Banks that are connected by the host computer 10 by modem,
- 5 as stated above.
- 6 Naturally, once the information has been delivered, the
- 7 transaction ends and the user is charged with the service:
- 8 the charging operation is displayed on the screen of the
- 9 automatic dispenser 12 or is printed, if the dispenser is
- 10 provided with a printer.
- 11 As it is clear from what has been described up to now, the
- 12 interconnection that takes place by means of a network of
- 13 automatic dispensers able to exchange information with one
- 14 another, both within the same subgroup and with other
- 15 subgroups through the network node and by radio, antenna or
- 16 satellite, optimizes the distribution of the products and
- 17 allows the managers of the network to know the whole situa-
- 18 tion of each dispenser of the network at any moment and
- 19 therefore to restock the dispensers with the products of
- 20 which they are short, if necessary.
- 21 Moreover, the network system that is the object of the
- 22 invention also allows to direct the user to the nearby
- 23 dispensers, if the dispenser is short of the required
- 24 product or it allows the user to book the item he is inte-
- 25 rested in.
- 26 Besides, the information is an additional service distribu-
- 27 ted by the network by means of the interconnection of the
- 28 automatic dispensers with Data Banks that can be both
- 29 inside or outside the system.

30

31

32

33

34

35


- 1 CLAIMS
- 2 1)Distribution network system of automatic dispensers
- 3 of products and information characterized in that it com-
- 4 prises:
- 5 A) a plurality of automatic dispensers (11, 12, 13; 41, 42,
- 6 43), each of which includes:
- 7 -organized spaces suitable for containing the products to
- 8 be dispensed;
- 9 -means for taking a selected product and conveying it out
- 10 of the store;
- 11 -a system for the positioning of said means;
- 12 -tools fixed to the conveying means, suitable for taking
- 13 hold of the selected product and for releasing it;
- 14 -reading means for the identification of the selected
- 15 product;
- 16 -primary storage systems for storing and processing the
- 17 information regarding the stored items;
- 18 -secondary storage systems for managing the information
- 19 received from the user or from the network with which the
- 20 dispenser is connected;
- 21 -means for the identification of magnetic cards or semicon-
- 22 ductor cards;
- 23 -means for connecting each dispenser (11, 12, 13; 41, 42,
- 24 43) and a host computer (10, 40) by cable (110, 120, 130;
- 25 410, 420, 430):
- 26 -means for connecting each dispenser (11, 12, 13; 41, 42,
- 27 43) and a host computer (10, 40) by ether (111, 112, 113;
- 28 411, 421, 431)
- 29 -means for displaying information;
- 30 -means for printing the information required;
- 31 B) at least a Host computer (10, 40) connecting a plurality
- 32 (A, B) of automatic dispensers, each of which being connec-
- 33 ted to a network node (20) by means of telephone (100,
- 34 200), radio or satellite links, said computer being suita-
- 35 ble for exchanging information with each of the dispensers


- 11 -

- 1 connected with it and with the network node, said host
- 2 computer being provided with its own storage and with means
- 3 suitable for managing its own Data Banks;
- 4 C) a network node (20) connected with each of said host
- 5 computers (10; 20) by means of telephone lines (100; 200)
- 6 and provided with a transceiver section suitable for get-
- 7 ting through to each dispenser by radio.
- 8 2) Distribution network system according to claim 1,
- 9 characterized in that the transceiver section of the net-
- 10 work node is an antenna (25).
- 3) Distribution network system according to claim 1,
- 12 characterized in that the transceiver section of the net-
- 13 work node is a communication satellite (30) that receives
- 14 information from the network node (20) and communicates
- 15 with each of said dispensers (111, 112, 113; 411, 421,
- 16 431).
- 4) Method for dispensing the products contained in the
- 18 automatic dispensers belonging to the distribution network
- 19 system according to claim 1) characterized in that it
- 20 comprises the steps as follows:
- 21 -a step in which the dispenser checks if the user's card is
- 22 enabled to take products;
- 23 -a step in which the products that can be selected are
- 24 displayed on the video screen;
- 25 -a step in which the user chooses the product he wants;
- 26 -a step in which the dispenser checks if the product is
- 27 available and, if so, takes it and delivers it to the user;
- 28 -a step in which the request is passed from the dispenser
- 29 to the others connected with the network by means of the
- 30 host computer through a communication satellite, if the
- 31 required product is not available in the dispenser;
- 32 -a step in which the answer concerning the place where the
- 33 required product is available is displayed and/or printed,
- 34 said piece of information coming from the satellite (30)
- 35 connected with the dispenser from which the request came;

- 12 -

- 1 -a step in which the cost of the product is debited, if the 2 product has been delivered.
- 3 5) Method for distributing information services
- 4 through the network according to claim 1) characterized in
- 5 that it comprises the steps as follows:
- 6 -a step in which the dispenser checks if the user's card is
- 7 enabled to receive information;
- 8 -a step in which the offered services are displayed on the
- 9 screen;
- 10 -a step in which the user chooses the service he is intere-
- 11 sted in;
- 12 -a step in which the dispenser is linked by cable to the
- 13 host computer with which it is connected;
- 14 -a step in which the request is processed by the host
- 15 computer and the storage files belonging to said computer
- 16 are checked;
- 17 -a step in which the answers coming from the remote host
- 18 are transmitted by cable from the host computer to the
- 19 dispenser; said answers are distributed through the satel-
- 20 lite (30) to the network node (20) and subsequently to the
- 21 host computer (10) to which the dispenser that has made the
- 22 question belongs;
- 23 -a step in which the required piece of information is
- 24 displayed and printed.
- 25 6) Method for distributing information services accor-
- 26 ding to claim 5, characterized in that it comprises a step
- 27 in which Data Banks that belong to the host computer itself
- 28 or are external to the network are connected by modem and
- 29 by communication satellite.
- 30 7) Method for distributing information services accor-
- 31 ding to claims 5 or 6, characterized in that it comprises a
- 32 step in which the service is paid by charging the user's
- 33 account with the relevant amount.





A. CLASSIFICATION OF SUBJECT MATTER
IPC 6 G07F9/02 G07F17/16 G07F7/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 G07F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US,A,4 896 024 (H. MORELLO) 23 January 1990 see abstract; figures 1,11-13 see column 4, line 55 - column 8, line 32 see column 12, line 47 - column 13, line 42 see column 18, line 21 - column 19, line 24	1,4
Y	GB,A,2 110 450 (OMRON TATEISI ELECTRONICS) 15 June 1983 see abstract; claims; figures 1-8,12,16-19	1,4
A	EP,A,O 537 756 (FUJITSU) 21 April 1993 see abstract; claims; figures 1-3 see column 1, line 50 - column 8, line 43 -/	1-7

Further documents are listed in the continuation of box C.	Patent family members are listed in annex.
* Special categories of cited documents: 'A' document defining the general state of the art which is not considered to be of particular relevance 'E' earlier document but published on or after the international filing date 'L' document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another	 'T' later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention 'X' document of particular relevance; the claimed invention cannot be considered no vel or cannot be considered to involve an inventive step when the document is taken alone 'Y' document of particular relevance; the claimed invention
"O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed	cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. *&* document member of the same patent family
Date of the actual completion of the international search	Date of mailing of the international search report
30 November 1994	1 4. 12. 94
Name and mailing address of the ISA	Authorized officer
European Patent Office, P.B. 5818 Patentiaan 2 NL - 2280 HV Riptwijk Tel. (+31-70) 340-2040, Tx. 31 651 epo ni, Fax: (+31-70) 340-3016	David, J

1

		PC1/EP 94/02549	
	on) DOCUMENTS CONSIDERED TO BE RELEVANT Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.	
-			
A	US,A,5 091 713 (A.H. HORNE) 25 February 1992	1,4	
	see abstract; claims; figures see column 3, line 10 - column 4, line 20		
A	GB,A,2 254 469 (BARCREST) 7 October 1992 see the whole document	1-7	
١	US,A,4 803 348 (D.W. LOHREY) 7 February 1989		
A	US,A,4 674 055 (H. OGAKI) 16 June 1987	46	
A	WO,A,91 20046 (INN-ROOM SYSTEMS) 26 December 1991		

		1 6	
		·	
,			
4			



r. nal Application No CT/EP 94/02549

Patent document cited in search report	Publication date	Patent f membe		Publication date
US-A-4896024	23-01-90	US-A-	4967906	06-11-90
GB-A-2110450	15-06-83	JP-C- JP-B- JP-A- US-A-	1713634 3078674 58087692 4546240	27-11-92 16-12-91 25-05-83 08-10-85
EP-A-0537756	21-04-93	JP-A- JP-A-	5122145 5122173	18-05-93 18-05-93
US-A-5091713	25-02-92	NONE		
GB-A-2254469	07-10-92	NONE		
US-A-4803348	07-02-89	JP-A-	1119895	11-05-89
US-A-4674055	16-06-87	JP-A- JP-A- JP-A-	59226992 59226993 59229673	20-12-84 20-12-84 24-12-84
WO-A-9120046	26-12-91	AU-A- EP-A- US-A-	8050391 0533800 5339250	07-01-92 31-03-93 16-08-94

This Page Blank (uspto)